









## 8. REFERENCES

- Laudani, A. et al. (2018). Irradiance intensity dependence of the lumped parameters of the three-diodes model for organic solar cells. *Solar Energy*, *163*, 526-536.
- De Castro, F., et al. (2016). An in-depth analysis of the modelling of organic solar cells using multiple-diode circuits. *Solar Energy*, *135*, 590-597.
- López-Varo, P., et al. (2017). Boundary condition model for the simulation of organic solar cells. *Organic Electronics*, *48*, 85-95.
- Kim, C. H., et al. (2018). Lumped-element model of plasmonic solar cells. *Solid-State Electronics*, *147*, 39-43.
- Gagliardi, A., et al. (2018). Simulation of charge Carrier mobility unbalance in organic solar cells. *Organic Electronics*, *59*, 171-176.
- Suliman, R., et al. (2017). Modeling of organic solar cell using response surface methodology. *Results in physics*, *7*, 2232-2241.
- Neupane, U., et al. (2017). Kinetic Monte Carlo modeling on organic solar cells: Domain size, donor-acceptor ratio and thickness. *Nano energy*, *35*, 128-137.
- De Falco, et al. (2012). Multiscale modeling and simulation of organic solar cells. *Computer Methods in Applied Mechanics and Engineering*, *245*, 102-116.
- De Falco, et al. (2010). Analytical and numerical study of photocurrent transients in organic polymer solar cells. *Computer Methods in Applied Mechanics and Engineering*, *199*(25-28), 1722-1732.
- Knipp, D., et al. (2017). Towards 3D organic solar cells. *Nano Energy*, *31*, 582-589.
- Scharber, M. C., et al. (2013). Efficiency of bulk-heterojunction organic solar cells. *Progress in polymer science*, *38*(12), 1929-1940.
- Sesa, E., et al. (2018). A building-block approach to the development of an equivalent circuit model for organic photovoltaic cells. *Organic Electronics*, *58*, 207-215.
- Lee, S. J., et al. (2018). Role of geminate polaron-pair recombination on magnetoconductance in P3HT and PC71BM bulk-heterojunction organic solar cells. *Organic Electronics*, *63*, 384-391.
- Zuo, L., et al. (2014). Assessing the origin of the S-shaped I-V curve in organic solar cells: An improved equivalent circuit model. *Solar Energy Materials and Solar Cells*, *122*, 88-93.
- Abbassi, R., et al. (2018). Identification of unknown parameters of solar cell models: A comprehensive overview of available approaches. *Renewable and Sustainable Energy Reviews*, *90*, 453-474.
- Santiago, I., et al. (2018). Modeling of photovoltaic cell temperature losses: A review and a practice case in South Spain. *Renewable and Sustainable Energy Reviews*, *90*, 70-89.
- Rhouma, et al. (2017). A simple method for extracting the parameters of the PV cell single-diode model. *Renewable energy*, *113*, 885-894.
- Yahya-Khotbehsara, A., et al. (2018). A fast modeling of the double-diode model for PV modules using combined analytical and numerical approach. *Solar Energy*, *162*, 403-409.
- Chin, V. J., et al. (2016). An accurate modelling of the two-diode model of PV module using a hybrid solution based on differential evolution. *Energy conversion and management*, *124*, 42-50.
- Mao, P., et al. (2017). Junction diodes in organic solar cells. *Nano energy*, *41*, 717-730.
- Mazhari, B. (2006). An improved solar cell circuit model for organic solar cells. *Solar energy materials and solar cells*, *90*(7-8), 1021-1033.
- Dehghanzadeh, A., et al. (2017). A novel approximate explicit double-diode model of solar cells for use in simulation studies. *Renewable energy*, *103*, 468-477.
- Cheknane, A., et al. (2008). An equivalent circuit approach to organic solar cell modelling. *Microelectronics Journal*, *39*(10), 1173-1180.
- Tada, K. (2017). Validation of opposed two-diode equivalent-circuit model for S-shaped characteristic in polymer photocell by low-light characterization. *Organic Electronics*, *40*, 8-12.
- Romero, B., et al. (2012). Exact analytical solution of a two diode circuit model for organic solar cells showing S-shape using Lambert W-functions. *Solar Energy*, *86* (10), 3026-3029.
- Romero, B., et al. (2014). Circuitual modelling of S-shape removal in the current-voltage characteristic of TiOx inverted organic solar cells through white-light soaking. *Organic Electronics*, *15*(12), 3546-3551.
- Lattante, S., et al. (2011). Study of the series resistance evolution in organic solar cells by use of the Lambert W function. *Synthetic Metals*, *161*(11-12), 949-952.
- Street, R. A., et al. (2011). Influence of series resistance on the photocurrent analysis of organic solar cells. *Organic Electronics*, *12*(2), 244-248.